

Architectural Door Accessories

ASSA ABLOY

Pemko Perimeter Gasketing: Standard Perimeter Gasketing

The global leader in
door opening solutions

296_PK




AVAILABLE FINISHES: C, D, G

WIDTH: 3/8" (9.5 mm)

PROFILE HEIGHT: 3/4" (19.1 mm)

TOTAL HEIGHT WITH INSERT: 1-3/16" (30.2 mm)



C (Clear Anodized Aluminum)

D (Dark Bronze Anodized Aluminum)

G (Gold Anodized Aluminum)

TITLE:

PREPARED FOR:

PREPARED BY:

DATE:

COMMENTS:

Architectural Door Accessories

ASSA ABLOY

Pemko Perimeter Gasketing: Standard Perimeter Gasketing

The global leader in
door opening solutions

296_R




AVAILABLE FINISHES: C, D, G

WIDTH: 3/8" (9.5 mm)

PROFILE HEIGHT: 3/4" (19.1 mm)

TOTAL HEIGHT WITH INSERT: 1-1/16" (27.0 mm)



C (Clear Anodized Aluminum)

D (Dark Bronze Anodized Aluminum)

G (Gold Anodized Aluminum)

TITLE:

PREPARED FOR:

PREPARED BY:

DATE:

COMMENTS:

Architectural Door Accessories

ASSA ABLOY

Pemko Perimeter Gasketing: Standard Perimeter Gasketing

The global leader in
door opening solutions

296_S




AVAILABLE FINISHES: C, D, G

WIDTH: 3/8" (9.5 mm)

PROFILE HEIGHT: 3/4" (19.1 mm)

TOTAL HEIGHT WITH INSERT: 1-1/16" (27.0 mm)



C (Clear Anodized Aluminum)

D (Dark Bronze Anodized Aluminum)

G (Gold Anodized Aluminum)

TITLE:

PREPARED FOR:

PREPARED BY:

DATE:

COMMENTS: